



HOPPE balcony door range

For all HOPPE door and window handles ...





Tôkyô Series – 1710RH/350KL (F1)

HOPPE handles for balcony doors

Balconies and terraces extend the living space to the outdoor. The HOPPE range offers the right handle for different kinds of balcony doors. In this brochure, we show a selection of handles from popular HOPPE series such as the London, Paris and Tôkyô series. These series are available as product families to realise a uniform design throughout the house.

The aluminium security handle half set on 93S offers additional security against burglary attempts. For a modern appearance, the 350KL and the 93S sets are available in the on-trend matt black finish (F9714M), for those who prefer a more traditional design we offer finishes with silver effect (F1) and steel effect (F9).



Tôkyô Series – 1710RH/93S (F1)



Pull handle 535 (F1)



Toulon Series – HS-0737/419N-AS/420 (F9714M)


Security handle half sets on 93S



London

113

page 6




Tôkyô

1710

page 7



Handle half sets on 350KL



London

113


page 10



Paris

137

page 12



Tôkyô


1710

page 13



79L/350KL

page 16



350KL

page 16



Pull handles for French doors



430

page 20



436-2

page 20




535

page 20



Lift/slide handle sets



Dallas

HS-0643

page 22



Tôkyô

HS-571

page 23



Toulon

HS-0737

page 24



General information

- Symbols
- Assessments for HOPPE products
- Finishes

page 25

Security handle half sets on 93S



Security handle half sets on 93S



London - 113RH/93S


duraplus®

HOPPE aluminium security handle half set for windows and French doors:

- Tested to **SS 3620:2010 – class B**
- Bearing: fixed/movable, maintenance-free slide bearing
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws



Description	Keyhole/ Distance	Projecting Screws	F1 Art. no.	P.U.	O.C.
Security handle half set	67	7 43 4,5 x 40	2142310	16	16
	67	7 53 4,5 x 40	3835871	16	16
	67	8 43 4,5 x 40	1770074	16	16



London - 013VK/93S


duraplus®

HOPPE cranked aluminium security handle half set for windows and French doors:

- Tested to **SS 3620:2010 – class B**
- Bearing: fixed/movable, maintenance-free slide bearing
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws



Description	Keyhole/ Distance	Projecting Screws	F1 Art. no./€	P.U.	O.C.
Security handle half set, cranked right	67	7 53 4,5 x 40	3835919	16	16
	67	8 53 4,5 x 40	1768505	16	16
	67	8 67 4,5 x 40	1768521	16	16
Security handle half set, cranked left	67	7 53 4,5 x 40	3835901	16	16
	67	8 53 4,5 x 40	1768441	16	16
	67	8 67 4,5 x 40	1768468	16	16



■ **Tôkyô - 1710RH/93S**


duraplus®




HOPPE aluminium security handle half set for windows and French doors:

- Tested to **SS 3620:2010 – class B**
- Bearing: fixed/movable, maintenance-free slide bearing
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking point
- Fixing: visible, security screws



Description	Keyhole/ Distance		Projecting Screws	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Security handle half set	67	7	35	1859790	3775160	11915815	16	16
			4,5 x 40	2354072				
	67	7	43	2620238			16	16
			4,5 x 40					
	67	7	90	3339819			16	16
			4,5 x 40					
67	8	43	1769962			16	16	
		4,5 x 40						
67	8	53	1769989	1769997	11896413	16	16	
			4,5 x 40					



Security handle half sets on 93S



■ Tôkyô - 0710VK/93S


duraplus®

HOPPE cranked aluminium security handle half set for windows and French doors:

- Tested to **SS 3620:2010 – class B**
- Bearing: fixed/movable, maintenance-free slide bearing
- Locking mechanism: for oval cylinder fixing by means of cylinder screw
- Spindle: HOPPE solid spindle with predetermined breaking points
- Fixing: visible, security screws



Description	Keyhole/ Distance	Projecting Screws	F1	F9	F9714M	P.U.	O.C.	
			Art. no.	Art. no.	Art. no.			
Security handle half set, cranked right	67	7	90 4,5 x 40	1897850			16	16
	67	7	100 4,5 x 40		2554664		16	16
	67	7	110 4,5 x 40			12167071	16	16
	67	8	43 4,5 x 40	1770146			16	16
	67	8	47 4,5 x 40		11504869		16	16
	67	8	50 4,5 x 40		11920361		16	16
	67	8	53 4,5 x 40	1770154			16	16
	67	8	67 4,5 x 40	1770171		11946933	16	16
Security handle half set, cranked left	67	7	90 4,5 x 40	1897868			16	16
	67	7	100 4,5 x 40		2554681		16	16
	67	7	110 4,5 x 40			12167083	16	16
	67	8	43 4,5 x 40	1770197			16	16
	67	8	47 4,5 x 40		11504870		16	16
	67	8	50 4,5 x 40		11920373		16	16
	67	8	53 4,5 x 40	1770200			16	16
	67	8	67 4,5 x 40	1770226		11946921	16	16



Handle half sets on 350KL






London - 113/350KL


duraplus®

HOPPE aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle
- Fixing: visible, for multi-purpose screws



Description	Keyhole/ Distance		Projecting Screws	F1 Art. no.		P.U.	O.C.
Handle half set on backplate	without	8	without without	3967874		50	50
	 60	8	without without	11751769		50	50
	 60	8	without without	3967866		50	50




















London - 013VK/350KL


duraplus®



HOPPE cranked aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F1 Art. no.		P.U.	O.C.
Handle half set on backplate, cranked right	without	8	67 without	3973297		50	50
	without	8	without without	11751526		50	50
	 60	8	without without	11751514		50	50
	 60	8	53 without	11751538		50	50
	 60	8	67 without	11751551		50	50
	 60	8	60 without	3974257		50	50
	 60	8	67 without	3973334		50	50
Handle half set on backplate, cranked left	without	8	67 without	3973246		50	50
	without	8	without without	11751472		50	50
	 60	8	without without	11751459		50	50
	 60	8	53 without	11751484		50	50
	 60	8	67 without	11751496		50	50
	 60	8	60 without	3974222		50	50
	 60	8	67 without	3973043		50	50
Handle half set on backplate with turn, cranked right	 60	8 KRST/45	60 without	11804890		50	50
	 60	8 KRST/45	67 without	3974302		50	50
	 60	8 KRST/45	without without	11751502		50	50
Handle half set on backplate with turn, cranked left	 60	8 KRST/45	60 without	11804889		50	50
	 60	8 KRST/45	67 without	3974273		50	50
	 60	8 KRST/45	without without	11751435		50	50






■ Paris - 137/350KL


duraplus®

HOPPE aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid profile spindle
- Fixing: visible, for multi-purpose screws



Description	Keyhole/ Distance		Projecting Screws	F1	F9714M	P.U.	O.C.
				Art. no.	Art. no.		
Handle half set on backplate	without	8	without without	11752634	11864138	10	60
	 60	8	without without	11901555	11874655	10	60
Handle half set on backplate with turn	 60	8 KRST/45	without without	11752665	11864145	10	60

















Tôkyô - 1710RH/350KL


duraplus®



HOPPE aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F1	F9	F9010	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Handle half set on backplate	without	8	without without	11739812	3969263	11790805	50	50
	 60	8	without without		11752798	11752804	50	50
	 60	8	without without	11736975			10	60
	 60	8	without without		3969255		50	50
Handle half set on backplate with turn	 60	8 KRST/00	without without		11752853		50	50
	 60	8 KRST/00	without without	11724171			10	60
	 60	8 KRST/17	without without			11752865	50	50
	 60	8 KRST/45	without without	11752816			50	50
	 60	8 KRST/53	without without	11752841		11752877	50	50
Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no.			P.U.	O.C.
Handle half set on backplate	without	8	without without	11799298			50	50
	 60	8	without without	11815838			50	50
Handle half set on backplate with turn	 60	8 KRST/00	without without	12005034			50	50
	 60	8 KRST/45	without without	11890046			50	50
	 60	8 KRST/53	without without	11815905			50	50



Handle half sets on 350KL





















■ Tôkyô - 0710VK/350KL


duraplus®

HOPPE cranked aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Spindle: for HOPPE solid spindle
- Fixing: visible, for multi-purpose screws



Description	Keyhole/ Distance		Projecting Screws	F1	F9	P.U.	O.C.
				Art. no.	Art. no.		
Handle half set on backplate, cranked right	without	8	53 without	3970125		50	50
	without	8	without without	11752403	3969052	50	50
	 60	8	without without	11752373		50	50
	 60	8	53 without	11752397		50	50
	 60	8	without without	11752385		50	50
	 60	8	without without	3970045	3969028	50	50
Handle half set on backplate, cranked left	without	8	53 without	3970176		50	50
	without	8	without without	11752233	3969036	50	50
	 60	8	without without	11752215		50	50
	 60	8	53 without	11752245		50	50
	 60	8	without without	11752221		50	50
	 60	8	without without	3969001	3968922	50	50
Handle half set on backplate with turn, cranked right	 60	8 KRST/00	without without		11752415	50	50
	 60	8 KRST/00	without without	11736689		10	60
	 60	8 KRST/45	without without	11752312	3969191	50	50
	 60	8 KRST/53	without without	11752355		50	50
	 60	8 KRST/60	without without	11752361		50	50
Handle half set on backplate with turn, cranked left	 60	8 KRST/00	without without		11752270	50	50
	 60	8 KRST/00	without without	11736677		10	60
	 60	8 KRST/45	without without	11840985	3969204	50	50
	 60	8 KRST/48	without without	11756159		50	50
	 60	8 KRST/53	without without	11752191		50	50
	 60	8 KRST/60	without without	11752208		50	50
















■ **Tôkyô - 0710VK/350KL**


duraplus®



HOPPE cranked aluminium handle half set on backplate for French doors:

- Bearing: fixed/movable, maintenance-free slide bearing
- Stop-in position: 90°
- Spindle: HOPPE solid spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F9010	F9714M	P.U.	O.C.
				Art. no.	Art. no.		
Handle half set on backplate, cranked right	without	8	53 without		11922874	50	50
	without	8	without without		11913137	50	50
	 60	8	without without		11799596	50	50
	 60	8	without without		12011770	50	50
	 60	8	without without		11871441	50	50
Handle half set on backplate, cranked left	without	8	53 without		11922886	50	50
	without	8	without without		11913149	50	50
	 60	8	without without		11799602	50	50
	 60	8	without without		12011782	50	50
	 60	8	without without		11871435	50	50
Handle half set on backplate with turn, cranked right	 60	8 KRST/00	without without		12004972	50	50
	 60	8 KRST/45	without without	11752427	11786218	50	50
	 60	8	without without	11961648		50	50
Handle half set on backplate with turn, cranked left	 60	8 KRST/00	without without		12005022	50	50
	 60	8 KRST/45	without without	11752269	11799584	50	50
	 60	8	without without	11961636		50	50





79L/350KL


duraplus®

HOPPE aluminium knob (pad) half set on backplate for French doors:

- Bearing: fixed knob (pad)
- Fixing: visible, for multi-purpose screws



Description	Keyhole/ Distance		Projecting Screws	F1	F9	P.U.	O.C.
				Art. no.	Art. no.		
Knob (pad) half set on backplate	without		without without		3950095	50	50
	without		without without	11591025		72	72




350KL

duraplus®

HOPPE aluminium backplate for French doors:

- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting Screws	F1	F9	F9010	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Backplate without handle hole, piece	without		without	10735684	10763976	11968461	20	100
Description	Keyhole/ Distance		Projecting Screws	F9714M Art. no.			P.U.	O.C.
Backplate without handle hole, piece	without		without	11922965			20	100









■ **350KL**

duraplus®

HOPPE aluminium backplate for French doors:

- Bearing: for loose door handle, maintenance-free slide bearing
- Spindle: for **HOPPE Quick-Fit connection** with HOPPE solid spindle
- Fixing: visible, for multi-purpose screws

Description	Keyhole/ Distance		Projecting	F1	F9714M	P.U.	O.C.
			Screws	Art. no.	Art. no.		
Backplate, piece	without		without	11948000	11971782	20	100
	 60		without	11946532	11946544	20	100
Backplate with turn, piece	 60	KRST/00	without	11948012	11978314	10	50






■ **350KL**

duraplus®

HOPPE aluminium spacing plate:

- To increase the height of handle half sets on 350KL backplate
- Fixing: concealed, it is mounted between handle half set and French door, for multi-purpose screws

Description	Keyhole/ Distance		Projecting	F1		P.U.	O.C.
			Screws	Art. no.			
Backplate, piece	 60		without	3994910		20	100







Pull handles for French doors




430

HOPPE aluminium pull handle for French doors:

- Fixing: visible, multi-purpose screws

Description	F1	F9	F9010	F9016	P.U.	O.C.
Pull handle, piece		1733353		634798	50	50
Pull handle (without screws), piece	517077		611287		50	50
Description	F9714M				P.U.	O.C.
	Art. no.					
Pull handle (without screws), piece	3339747				50	50




436-2

HOPPE aluminium pull handle for French doors:

- Fixing: concealed, from inside, bolt-through, for M4 thread screws

Description	F1	F9	F9010	F9016	P.U.	O.C.
Pull handle, piece	677467				150	150




535

HOPPE aluminium pull handle for French doors:

- Fixing: concealed, multi-purpose screws

Description	F1	F4	F9	F9010	P.U.	O.C.
Pull handle, piece	3873819	3943688	3943661	3950079	50	50
Description	F9016	F9714M			P.U.	O.C.
	Art. no.	Art. no.				
Pull handle, piece	3976252	11622118			50	50








Dallas - HS-0643/419N-AS


duraplus®



HOPPE aluminium lift/slide handle set for patio doors:


- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (handle/handle)	75-80	10x128	 69	11642166	11642178	11722277	1	4






Dallas - HS-0643/419N-AS/420


duraplus®



HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (recessed pull/handle)	75-80	10x73	 69	11642185	11642233	11720755	1	4
			without	11642191	11642245	11642270	1	4






Tōkyō - HS-571/431N-AS

duraplus®

HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (handle/handle)	75-80	10	69	11639593	11639659	11720761	1	4




Tōkyō - HS-571/431N-AS/420

duraplus®

HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (recessed pull/handle)	75-80	10x73	69	11619892	11620043	11748291	1	4
			without	11619879	11620025	11748315	1	4






Toulon - HS-0737/419N-AS


duraplus®



HOPPE aluminium lift/slide handle set for patio doors:

- Bearing: fixed/movable handles
- Stop-in position: 180°
- Base: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws

Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (handle/handle)	75-80	10	 69	11600238	11600299	11645295	1	4






Toulon - HS-0737/419N-AS/420


duraplus®










HOPPE aluminium lift/slide handle set for patio doors, exterior with recessed pull:

- Bearing: fixed/movable handle
- Stop-in position: 180°
- Base: outside: none, inside: zamak, supporting lugs
- Spindle: loose HOPPE solid spindle with radiused edges
- Fixing: concealed, bolt-through, M6 thread screws



Description			Keyhole/ Distance	F1	F9	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.		
Lift/slide handle set (recessed pull/handle)	75-80	10x73	 69	11600548	11600573	11645635	1	4
			without	11600445	11600494	11645325	1	4



Symbols

	OL (turn button)
	ROK17 (rokoko cylinder)
	OZ03 (oval cylinder)
	OZ07 (rokoko cylinder)
	Door thickness (in mm)
	Spindle size (in mm)
duraplus®	HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert®, duraplus® and duranorm®. duraplus® stands for the medium product line.
	Tested to SS 3620:2010 – class B

Assessments for HOPPE products

	Bygghvarubedömningen is a non-profitable organisation and its assessments are based on criteria concerning chemical content and life cycle aspects. BVB aims to support wise choices of material for a good living environment.
	HOPPE aluminium door-, window handles and accessories have received the status “recommended” at Bygghvarubedömning.

Brand attributes



10-year guarantee on the mechanical operation



Made in Europe



DIN EN ISO 14001 Environmentally-considerate manufacturing

Finishes

Aluminium



F1
silver effect



F4
bronze effect



F9
steel effect



F9010
pure white



F9016
traffic white



F9714M
matt black

Differences in colours can occur due to the limitations of the printing process.

HOPPE Nordic Countries Oy
Hyrylänkatu 8
FI-04300 Tuusula

Tel. +358 (0)9 25 84 34 24
info.nordic@hoppe.com
www.hoppe.com

Trading partners in the Nordic Countries

Trading partner in Sweden:

BESLAGSKONSULT AB
Neongatan 11
SE-431 53 Mölndal

Tel. +46 31 91 40 30
info@beslagskonsult.se
www.beslagskonsult.se

Trading partner in Finland:

Scancerco Oy
Mestarintie 13
FI-01730 Vantaa

Tel. +358 40 1625 227
myynti@scancerco.fi
www.scancerco.fi

Trading partner in Denmark:

KH TRADE AS
Theilgaards Allé 3A, "Den Hvide By"
DK-4600 Køge

Tel. +45 70 23 40 30
info@kh-trade.dk
www.kh-trade.dk

Trading partner in Norway:

BOYESEN & MUNTHE A/S
Tvetenveien 152
NO-0671 Oslo

Tel. +47 23 34 70 00
post@boyesen-munthe.no
www.boyesen-munthe.no