



HOPPE entrance door handle
range

For all HOPPE door and window handles ...





HOPPE handles – First impressions count.

An entrance door is the first point of contact and will set the ambiance for a home. Create an inviting appearance with on trend handles from HOPPE available in aluminium, brass, and stainless steel.

The handles can be selected independently and allow to establish a seamlessly integrated interior and exterior design for a house.

Made in Europe and covered by a ten-year guarantee on operation when choosing HOPPE, you can be guaranteed you are choosing quality.



Serie Genova – duravert[®]



Serie Stockholm – duraplus[®]

Entrance door sets

Overview entrance door sets	page 6
-----------------------------	--------


General Information

Symbols	page 24
---------	---------

Assessments for HOPPE products	page 24
--------------------------------	---------

Brand, special and product attributes	page 25
---------------------------------------	---------

Finishes	page 25
----------	---------





The duravert® product line

for the discerning



Bergen
M1602
Page 10



Genova
M1535
Page 11





The duraplus® product line

more than usual




Amsterdam
(E)1400
Page 14




Hamburg
1700
Page 15



New York
1810
Page 16




Stockholm
(E)1140
Page 17




Tōkyō
1710
Page 18



Trondheim
E1430
Page 18



Verona
1510, M151
Page 19



Vitória
1515
Page 20



Complementary products
Page 20



Entrance door sets





for the discerning **duravert**[®]



Quick-Fit



■ Bergen - M1602/19FI


duravert®

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description				F49/F9				P.U.	O.C.
				Art. no.					
Door handle set without escutcheon	55-65	8		2881121				1	10





Quick-Fit



Genova - M1535/19FI


duraver[®]

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F45-R				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	65-75	8	3077644				1	10



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

Entrance door sets





more than usual **duraplus®**





Quick-Fit


Amsterdam - 1400/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	55-65	8	3374446				1	10
	65-75	8	3382104				1	10
	85-95	8	3457401				1	10





Quick-Fit


Amsterdam - 1400/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1/F69				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	55-65	8	3374454				1	10
	65-75	8	3374438				1	10





Quick-Fit


Amsterdam - E1400Z/42FI

duraplus®

- HOPPE stainless steel handle set on rose without escutcheons for entrance doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
 - Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
 - Base: nylon
 - Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F69		F9714M		P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	3317863	12032803			1	10
	65-75	8	3901808				1	10




Quick-Fit

Hamburg - 1700/42FI

duraplus®

- HOPPE aluminium handle set on rose without escutcheons for entrance doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
 - Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
 - Base: nylon
 - Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1		F3		F4		F9		P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.				
Door handle set without escutcheon	65-75	8	12009301	12178950	12009313	12009325			1	10		
			F9714M									
Description			Art. no.		Art. no.		Art. no.		Art. no.		P.U.	O.C.
Door handle set without escutcheon	65-75	8	12187446						1	10		









Quick-Fit


■ New York - 1810/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description				F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8		3815301			3815310	1	10
	65-75	8		10784144	12028411	12028423	10756961	1	10
	75-85	8		3815328	12028484	11905402	3829965	1	10
Description				F9714M				P.U.	O.C.
Door handle set without escutcheon	65-75	8		12187458				1	10





Quick-Fit


Stockholm - 1140/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description							P.U.	O.C.
			F1	F3	F4	F9		
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	2950106			2944312	1	10
	65-75	8	3527326	12028381	12028393	3076123	1	10
	75-85	8	11602508	12028319	12028320	10735545	1	10
Description			F9714M				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	65-75	8	12187465				1	10



Quick-Fit

Stockholm - E1140Z/42FI


duraplus®

HOPPE stainless steel handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description							P.U.	O.C.
			F69					
			Art. no.					
Door handle set without escutcheon	55-65	8	3186795				1	10







Quick-Fit


■ Tôkyô - 1710/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description				F9			P.U.	O.C.
				Art. no.				
Door handle set without escutcheon	58-62	8		2944072			1	10
	72-77	8		12034587			1	10



Quick-Fit



■ Trondheim - E1430Z/42FI


duraplus®

HOPPE stainless steel handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description				F69			P.U.	O.C.
				Art. no.				
Door handle set without escutcheon	55-65	8		3058558			1	10







Quick-Fit


Verona - 1510/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1		F9		P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	3020787				1	10
	65-75	8	3484741	2966343			1	10



Quick-Fit



Verona - M151/42FI


duraplus®

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F77-R		P.U.	O.C.
			Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	2880849		1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®



Quick-Fit


Vitória - 1515/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description				F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon				2900387			2900395	1	10
				65-65	8	3485331	12178986	12009489	2966141
Description				F9714M				P.U.	O.C.
Door handle set without escutcheon				Art. no.					
				65-75	8				
				12179048				1	10




2910

duraplus®

HOPPE aluminium flat backplate for entrance doors:

- Special feature: backplate with cut-out for cylinder sleeve and cylinder ring and for handle sets on rose (to be ordered separately)

Description			Keyhole/Distance	F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Backplate, piece			111	613762	12180270	12009507	613793	10	40
Backplate with turn, piece			50	613724	12180269	12008801	613748	10	40
Description			Keyhole/Distance	F9714M				P.U.	O.C.
Backplate, piece			111	Art. no.					
				12160593				10	40
Backplate with turn, piece			50	12160581				10	40






659M

duraplus®

HOPPE aluminium cylinder ring (exterior side):

- Fixing: concealed, from inside, for M5 thread screws

Description	Cyl. project.	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (exterior), piece	6-11	11		11811766	12181286	11969465	11811778	50	50
	11-16	16		11811785	12181523	11969477	11811791	50	50
	16-21	21		11811808	12181535	12181547	11811815	50	50
Description	Cyl. project.	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (exterior), piece	6-11	11		11869082				50	50
	11-16	16		11869008				50	50
	16-21	21		11869069				50	50




59M

duraplus®

HOPPE aluminium cylinder ring for entrance doors (exterior side):

- Fixing: concealed, from inside, for M5 thread screws

Description	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (exterior), piece	6	without	634156	3522787	12195054	634163	50	50
	6		612130			612154	50	50
	8		612161			612185	50	50
	11		612192			612215	50	50
	13		612222			612246	50	50
	16		612253			612277	50	50
	18		612284			612307	50	50
	21		612314			612338	50	50
Description	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (exterior), piece	6	without	12009398				50	50



59F


duraplus®



HOPPE aluminium cylinder ring for entrance doors (interior side):

- Fixing: visible, M5 thread screws

Description	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (interior), piece	6	without	634187	12180956	12180968	625734	50	50
			612376	12181262	12181274	612390	50	50
	8		612406	12181559	12181560	612420	50	50
	11		612437	12181651	12181663	612451	50	50
	13		12181687	12181699	12181705	612482	50	50
18		11573661	12180975	12180981	612550	50	50	
Description	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (interior), piece	6	without	12009441				50	50
			12165895				50	50
	8		12160684				50	50
	11		12160714				50	50
	13		12165979				50	50
18		12160660				50	50	



790


duraplus®



HOPPE aluminium cylinder ring for entrance doors:

- Fixing: with grub screw

Description	Height		F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring, piece	8		613632	12180439	12180452	613656	80	80
	13		613663	12029026	12009519	613687	80	80
Description	Height		F9714M Art. no.				P.U.	O.C.
Cylinder ring, piece	8		12160647				80	80
	13		12165585				80	80






990

duraplus®

HOPPE aluminium cylinder sleeve for entrance doors:

- Fixing: with grub screw

Description		Keyhole/ Distance	F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder sleeve, piece		○	613694	12028995	12009520	613717	50	50
Description		Keyhole/ Distance	F9714M Art. no.				P.U.	O.C.
Cylinder sleeve, piece		○	12160605				50	50




42FIS

duraplus®

HOPPE aluminium escutcheon with turn for entrance doors (interior side):

- Bearing: fixed/movable turn
- Connection: 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, from inside, M5 thread screws that can be shortened

Description			Keyhole	F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Turn on rose, piece			5,5 	810734	2367156	11969453	810741	50	50
Description			Keyhole	F9714M Art. no.				P.U.	O.C.
Turn on rose, piece			5,5 	11805663				50	50




42FIS

duraplus®






HOPPE aluminium escutcheon with turn for entrance doors (interior side):

- Bearing: fixed/movable turn
- Connection: 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, for multi-purpose screws



Description			Keyhole	F9				P.U.	O.C.
				Art. no.					
Turn on rose, piece			5,5 	2931028				50	50



Symbols









	OB (oval standard keyhole)
	PZ (profile cylinder)
	SK/OL (external: slotted head/internal: turn button)
	Door thickness (in mm)
	Spindle size (in mm)
<p>duravert® duraplus® duranorm®</p>	<p>HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert®, duraplus® and duranorm®. duraplus® stands for the medium product line.</p>

Assessments for HOPPE products

	<p>Byggvarubedömningen is a non-profitable organization and its assessments are based on criteria concerning chemical content and life cycle aspects. BVB aims to support wise choices of material for a good living environment. Read more on www.byggvarubedomningen.com</p>
	<p>HOPPE aluminium door handles and accessories have received the status "recommended" at Byggvarubedömning.</p>



Brand, special and product attributes

Denomination	Description	Attribute
Brand attributes	<ul style="list-style-type: none"> distinguish all HOPPE products convey the brand promise 	 10-year guarantee on the mechanical operation  Made in Europe  DIN EN ISO 14001 Environmentally-considerate manufacturing
Special attributes	<ul style="list-style-type: none"> underline a unique selling proposition or an essential additional benefit of the HOPPE brand product 	 Quick-Fit [®] Quick fitting by simply putting the door handles together  Resista [®] 10-year surface guarantee
Product attributes	<ul style="list-style-type: none"> present important information on a product or a benefit of the product are identified with the pictograms designed by HOPPE 	 Rostfrei Stainless steel  CuZn Solid brass
Certification marks	<ul style="list-style-type: none"> identify the products that have been checked by a certification body are known trademarks apply internationally and regionally 	 RAL GÜTEZEICHEN For all window handles certified according to RAL (RAL-GZ 607/9) and all security door handle sets certified according to DIN 18257 and RAL-GZ 607/6

Finishes

Aluminium



F1
silver effect



F1/F69
alu silver effect/satin stainless steel



F3
gold effect



F4
bronze effect



F9
steel effect



F9714M
matt black

Stainless steel



F69
satin



F9714M
matt black

* Suitable for interior applications only.

Brass



F45-R
polished/satin chrome – Resista[®]



F49/F9
polished chrome/aluminium steel



F77-R
brass-coloured, polished – Resista[®]

Differences in colours can occur due to the limitations of the printing process.

HOPPE Nordic Countries Oy
Hyrylänkatu 8
FI-04300 Tuusula

Tel. +358 (0)9 25 84 34 24
info.nordic@hoppe.com
www.hoppe.com

Trading partners in the Nordic Countries

Trading partner in Sweden:

BESLAGSKONSULT AB
Neongatan 11
SE-431 53 Mölndal

Tel. +46 31 91 40 30
info@beslagskonsult.se
www.beslagskonsult.se

Trading partner in Finland:

Scancerco Oy
Mestarintie 13
FI-01730 Vantaa

Tel. +358 40 1625 227
myynti@scancerco.fi
www.scancerco.fi

Trading partner in Denmark:

KH TRADE AS
Theilgaards Allé 3A, "Den Hvide By"
DK-4600 Køge

Tel. +45 70 23 40 30
info@kh-trade.dk
www.kh-trade.dk

Trading partner in Norway:

BOYESEN & MUNTHE A/S
Tvetenveien 152
NO-0671 Oslo

Tel. +47 23 34 70 00
post@boyesen-munthe.no
www.boyesen-munthe.no