



HOPPE entrance door  
handle range

For all HOPPE door and window handles ...





## **HOPPE handles – First impressions count.**

An entrance door is the first point of contact and will set the ambiance for a home. Create an inviting appearance with on trend handles from HOPPE available in aluminium, brass, and stainless steel.

The handles can be selected independently and allow to establish a seamlessly integrated interior and exterior design for a house.

Made in Europe and covered by a ten-year guarantee on operation when choosing HOPPE, you can be guaranteed you are choosing quality.



Serie Genova – duravert<sup>®</sup>



Serie Stockholm – duraplus<sup>®</sup>

## **Entrance door sets**

Overview entrance door sets page 6

---

## **General Information**

Symbols page 24

---

Assessments for HOPPE products page 24


---

Brand, special and product attributes page 25

---

Finishes page 25

---






## The duravert® product line

---

for the discerning



**Bergen**  
M1602  
Page 10



**Genova**  
M1535  
Page 11





## The duraplus® product line

more than usual




**Amsterdam**  
(E)1400  
Page 14



**Hamburg**  
1700  
Page 15



**New York**  
1810  
Page 16




**Stockholm**  
(E)1140  
Page 17




**Tōkyō**  
1710  
Page 18



**Trondheim**  
E1430  
Page 18



**Verona**  
1510, M151  
Page 19



**Vitória**  
1515  
Page 20



**Complementary products**  
Page 20



Entrance door sets







for the discerning **duravert**<sup>®</sup>



Quick-Fit



## ■ Bergen - M1602/19FI


duravert®

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F49/F9				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	55-65	8	<b>2881121</b>				1	10





Quick-Fit



**Genova - M1535/19FI**


duraver<sup>®</sup>

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F45-R				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	65-75	8	<b>3077644</b>				1	10



The Resista<sup>®</sup> guarantee applies to all finishes with the letter **R** in the finish key.

**Resista<sup>®</sup>**

Entrance door sets





more than usual **duraplus**®





Quick-Fit


## Amsterdam - 1400/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	55-65	8	<b>3374446</b>				1	10
	65-75	8	3382104				1	10
	85-95	8	3457401				1	10





Quick-Fit


## Amsterdam - 1400/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1/F69				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	55-65	8	<b>3374454</b>				1	10
	65-75	8	3374438				1	10







Quick-Fit


**Amsterdam - E1400Z/42FI**

duraplus®

- HOPPE stainless steel handle set on rose without escutcheons for entrance doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
  - Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
  - Base: nylon
  - Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description					P.U.	O.C.
			F69	F9714M		
			Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	<b>3317863</b>	12032803	1	10
	65-75	8	3901808		1	10








Quick-Fit

**Hamburg - 1700/42FI**

duraplus®

- HOPPE aluminium handle set on rose without escutcheons for entrance doors:
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
  - Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
  - Base: nylon
  - Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description							P.U.	O.C.
			F1	F3	F4	F9		
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	65-75	8	12009301	12178950	12009313	12009325	1	10
Description			F9714M				P.U.	O.C.
Door handle set without escutcheon	65-75	8	<b>12187446</b>				1	10









Quick-Fit


## ■ New York - 1810/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description				F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8		3815301			<b>3815310</b>	1	10
	65-75	8		10784144	12028411	12028423	10756961	1	10
	75-85	8		3815328	12028484	11905402	3829965	1	10
Description				F9714M				P.U.	O.C.
Door handle set without escutcheon	65-75	8		12187458				1	10







Quick-Fit


### Stockholm - 1140/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description							P.U.	O.C.
			F1	F3	F4	F9		
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	2950106			2944312	1	10
	65-75	8	3527326	<b>12028381</b>	12028393	3076123	1	10
	75-85	8	11602508	12028319	12028320	10735545	1	10
Description			F9714M				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	65-75	8	12187465				1	10



Quick-Fit

### Stockholm - E1140Z/42FI


duraplus®

HOPPE stainless steel handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description							P.U.	O.C.
			F69	F69-S				
			Art. no.	Art. no.				
Door handle set without escutcheon	55-65	8	<b>3186795</b>	10760919			1	10



The letter **S** in the finish keys stands for SecuSan®, the antimicrobial surface. Suitable for interior applications only.

**SecuSan®**





Quick-Fit


## ■ Tôkyô - 1710/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description			F1		F9		P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	58-62	8	<b>3120930</b>	2944072			1	10
	72-77	8		12034587			1	10



Quick-Fit



## ■ Trondheim - E1430Z/42FI


duraplus®

HOPPE stainless steel handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description			F69		P.U.	O.C.
			Art. no.	Art. no.		
Door handle set without escutcheon	55-65	8	<b>3058558</b>		1	10







Quick-Fit


**Verona - 1510/42FI**

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description					F1	F9	P.U.	O.C.
			Art. no.	Art. no.				
Door handle set without escutcheon	55-65	8			<b>3020787</b>		1	10
	65-75	8			3484741	2966343	1	10



Quick-Fit



**Verona - M151/42FI**


duraplus®

HOPPE brass handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws



Description					F52-R	F77-R	P.U.	O.C.
			Art. no.	Art. no.				
Door handle set without escutcheon	55-65	8				2880849	1	10
	65-75	8			<b>2967400</b>		1	10
	75-85	8			10735772		1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®



Quick-Fit


## Vitória - 1515/42FI

duraplus®

HOPPE aluminium handle set on rose without escutcheons for entrance doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle - receiver components)
- Base: nylon
- Fixing: concealed, bolt-through, bidirectional, multi-purpose screws

Description				F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon				2900387			2900395	1	10
				65-65	8	3485331	12178986	<b>12009489</b>	2966141
Description				F9714M				P.U.	O.C.
				Art. no.					
Door handle set without escutcheon				12179048				1	10
				65-75	8				




## 2910

duraplus®

HOPPE aluminium flat backplate for entrance doors:

- Special feature: backplate with cut-out for cylinder sleeve and cylinder ring and for handle sets on rose (to be ordered separately)

Description			Keyhole/Distance	F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Backplate, piece			111	<b>613762</b>	12180270	12009507	613793	10	40
Backplate with turn, piece			50	613724	12180269	12008801	613748	10	40
Description			Keyhole/Distance	F9714M				P.U.	O.C.
				Art. no.					
Backplate, piece			111	12160593				10	40
Backplate with turn, piece			50	12160581				10	40






**659M**

duraplus®

HOPPE aluminium cylinder ring (exterior side):  
• Fixing: concealed, from inside, for M5 thread screws

Description	Cyl. project.	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (exterior), piece	6-11	11		<b>11811766</b>	12181286	11969465	11811778	50	50
	11-16	16		11811785	12181523	11969477	11811791	50	50
	16-21	21		11811808	12181535	12181547	11811815	50	50
Description	Cyl. project.	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (exterior), piece	6-11	11		11869082				50	50
	11-16	16		11869008				50	50
	16-21	21		11869069				50	50




**59M**

duraplus®

HOPPE aluminium cylinder ring for entrance doors (exterior side):  
• Fixing: concealed, from inside, for M5 thread screws

Description	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (exterior), piece	6	without	<b>634156</b>	3522787	12195054	634163	50	50
	6		612130			612154	50	50
	8		612161			612185	50	50
	11		612192			612215	50	50
	13		612222			612246	50	50
	16		612253			612277	50	50
	18		612284			612307	50	50
	21		612314			612338	50	50
Description	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (exterior), piece	6	without	12009398				50	50













## 59F


duraplus®



HOPPE aluminium cylinder ring for entrance doors (interior side):

- Fixing: visible, M5 thread screws

Description	Height	Keyhole	F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring (interior), piece	6	without	634187	12180956	12180968	625734	50	50
			<b>612376</b>	12181262	12181274	612390	50	50
	8		612406	12181559	12181560	612420	50	50
	11		612437	12181651	12181663	612451	50	50
	13		12181687	12181699	12181705	612482	50	50
	18		11573661	12180975	12180981	612550	50	50
Description	Height	Keyhole	F9714M Art. no.				P.U.	O.C.
Cylinder ring (interior), piece	6	without	12009441				50	50
			12165895				50	50
	8		12160684				50	50
	11		12160714				50	50
	13		12165979				50	50
	18		12160660				50	50



## 790


duraplus®



HOPPE aluminium cylinder ring for entrance doors:

- Fixing: with grub screw

Description	Height		F1	F3	F4	F9	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder ring, piece	8		<b>613632</b>	12180439	12180452	613656	80	80
	13		613663	12029026	12009519	613687	80	80
Description	Height		F9714M Art. no.				P.U.	O.C.
Cylinder ring, piece	8		12160647				80	80
	13		12165585				80	80






**990**

duraplus®

HOPPE aluminium cylinder sleeve for entrance doors:

- Fixing: with grub screw

Description	Keyhole/Distance	F1	F3	F4	F9	P.U.	O.C.
		Art. no.	Art. no.	Art. no.	Art. no.		
Cylinder sleeve, piece	○	<b>613694</b>	12028995	12009520	613717	50	50
Description	Keyhole/Distance	F9714M Art. no.				P.U.	O.C.
Cylinder sleeve, piece	○	12160605				50	50




**42FIS**

duraplus®

HOPPE aluminium escutcheon with turn for entrance doors (interior side):

- Bearing: fixed/movable turn
- Connection: 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, from inside, M5 thread screws that can be shortened

Description	Keyhole	F1	F3	F4	F9	P.U.	O.C.
		Art. no.	Art. no.	Art. no.	Art. no.		
Turn on rose, piece	5,5	<b>810734</b>	2367156	11969453	810741	50	50
Description	Keyhole	F9714M Art. no.				P.U.	O.C.
Turn on rose, piece	5,5	11805663				50	50




**42FIS**

duraplus®






HOPPE aluminium escutcheon with turn for entrance doors (interior side):

- Bearing: fixed/movable turn
- Connection: 5 mm diagonal or 8 mm flat spindle
- Base: nylon
- Fixing: concealed, for multi-purpose screws



Description	Keyhole	F9	P.U.	O.C.
		Art. no.		
Turn on rose, piece	5,5	<b>2931028</b>	50	50



## Symbols

	OB (oval standard keyhole)
	PZ (profile cylinder)
	SK/OL (external: slotted head/internal: turn button)
	Door thickness (in mm)
	Spindle size (in mm)
<p>duravert® duraplus® duranorm®</p>	<p>HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert®, duraplus® and duranorm®. duraplus® stands for the medium product line.</p>










## Assessments for HOPPE products

	<p>Byggvarubedömningen is a non-profitable organization and its assessments are based on criteria concerning chemical content and life cycle aspects. BVB aims to support wise choices of material for a good living environment.</p>
	<p>HOPPE aluminium door-, window handles and accessories have received the status “recommended” at Byggvarubedömning.</p>





## Brand, special and product attributes

Denomination	Description	Attribute
<b>Brand attributes</b>	<ul style="list-style-type: none"> <li>distinguish all HOPPE products</li> <li>convey the brand promise</li> </ul>	 10-year guarantee on the mechanical operation  Made in Europe  DIN EN ISO 14001 Environmentally-considerate manufacturing
<b>Special attributes</b>	<ul style="list-style-type: none"> <li>underline a unique selling proposition or an essential additional benefit of the HOPPE brand product</li> </ul>	 Quick fitting by simply putting the door handles together  10-year surface guarantee  Antimicrobial and antibacterial surface for HOPPE door and window handles
<b>Product attributes</b>	<ul style="list-style-type: none"> <li>present important information on a product or a benefit of the product</li> <li>are identified with the pictograms designed by HOPPE</li> </ul>	 Stainless steel  Solid brass
<b>Certification marks</b>	<ul style="list-style-type: none"> <li>identify the products that have been checked by a certification body</li> <li>are known trademarks</li> <li>apply internationally and regionally</li> </ul>	 For all window handles certified according to RAL (RAL-GZ 607/9) and all security door handle sets certified according to DIN 18257 and RAL-GZ 607/6

## Finishes

### Aluminium



**F1**  
silver effect



**F1/F69**  
alu silver effect/satin stainless steel



**F3**  
gold effect



**F4**  
bronze effect



**F9**  
steel effect



**F9714M**  
matt black

### Stainless steel



**F69**  
satin



**F69-S\***  
satin – **SecuSan®**



**F9714M**  
matt black

\* Suitable for interior applications only.

### Brass



**F45-R**  
polished/satin chrome – **Resista®**



**F49/F9**  
polished chrome/aluminium steel



**F52-R**  
brass-coloured, satin – **Resista®**



**F77-R**  
brass-coloured, polished – **Resista®**

Differences in colours can occur due to the limitations of the printing process.

HOPPE Nordic Countries Oy  
Hyrylänkatu 8  
FI-04300 Tuusula

Tel. +358 (0)9 25 84 34 24  
info.nordic@hoppe.com  
www.hoppe.com

---

## Trading partners in the Nordic Countries

Trading partner in Sweden:

BESLAGSKONSULT AB  
Neongatan 11  
SE-431 53 Mölndal

Tel. +46 31 91 40 30  
info@beslagskonsult.se  
www.beslagskonsult.se

Trading partner in Finland:

Scancerco Oy  
Mestarintie 13  
FI-01730 Vantaa

Tel. +358 40 1625 227  
myynti@scancerco.fi  
www.scancerco.fi

Trading partner in Denmark:

KH TRADE AS  
Theilgaards Allé 3A, "Den Hvide By"  
DK-4600 Køge

Tel. +45 70 23 40 30  
info@kh-trade.dk  
www.kh-trade.dk

Trading partner in Norway:

BOYESEN & MUNTHE A/S  
Tvetenveien 152  
NO-0671 Oslo

Tel. +47 23 34 70 00  
post@boyesen-munthe.no  
www.boyesen-munthe.no